

## **Bright and robust**

FELA side displays are external indicators with LED dot-matrix technology for use in rail vehicles and buses.

They are ideal for railway use because of their robust design, their high temperature resistance and long life. To be emphasised are the high brilliance of the LED points and the diverse configuration options, be it the sizes, the arrangement of the LED points or the colour of the LEDs. Define, with our team, the side displays suitable for you.

Freely configurable trigger points and PIS timetable data, together with GPS technology, automatically trigger the display on the FELA side display.

Dispatcher and train driver can define the texts of the display via the passenger information system and, for example, have a special excursion shown on the side display.

## **LED Side Display**

- Stable display at low and high temperatures
- Meets all relevant railway standards (EN50155)
- Designed with yellow LEDs as standard, also possible with white LEDs on customer request
- Multi-line output possible
- Can be adapted to customer requirements
- Easy assembly, installation and commissioning
- Less cabling effort
- Integration into operator-specific information design possible
- Robust construction





## **Side Display**

## **Technical specifications**

Nominal voltage	24 V / 110 VDC
■ Power consumption	70 W
<ul><li>Operating and storage temperature</li></ul>	-40 to +70°C
Humidity	Max. 95% relative humidity, non-condensing
■ Weight	9.5 kg +/- 5%
Dimensions	Different dimensions
Construction	All-metal body, tempered glass
Resolution	Various resolutions







Subject to availability, technical changes, prices, misprints, omissions and errors.

In certain cases, the company and product names mentioned are registered trademarks of the respective manufacturers. Image credit: FELA Management AG  $\mid$  istock

